



【Sシリーズ】特殊端末カバー

S4-21




S4-22


逆勝手: S4-23



S4-24




S4-25




S4-26

逆勝手: S4-27



特殊末端カバー1

(G・N・Tに対応)




S4-21

材質	厚さ t(mm)	クリアランス		A (mm)	B (mm)	L (mm)
		(mm)	対応品番			
AL	1.5	50	G・N・T	165	15	
		100	G・N・T	225	15	
		150	G	275	20	
		150	N・T	275	15	
		200	G・N・T	335	20	
SUS	1.2	50	G・N・T	164.4	15	
		100	G・N・T	224.4	15	
		150	G・N・T	274.4	20	
		200	G・N・T	334.4	20	

特殊端末カバー2

(G・N・Tに対応)




S4-22

材質	厚さ t(mm)	クリアランス		A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	L (mm)
		(mm)	対応品番							
AL	1.5	50	G・N・T	165	15	91	41	15	15	
		100	G・N・T	225	15	146	41	15	15	
		150	G	275	20	191	41	20	20	
		150	N・T	275	15	196	41	15	15	
		200	G・N・T	335	20	246	41	20	20	
SUS	1.2	50	G・N・T	164.4	15	91	41	15	15	
		100	G・N・T	224.4	15	146	41	15	15	
		150	G・N・T	274.4	20	191	41	20	20	
		200	G・N・T	334.4	20	246	41	20	20	

逆勝手：S4-23

特殊端末カバー4

(GC・NC・TCに対応)




S4-24

材質	厚さ t(mm)	クリアランス		A (mm)	B (mm)	C (mm)	D (mm)	L (mm)
		(mm)	対応品番					
AL	1.5	50	GC・NC・TC	91	41	15	15	
		100	GC・NC・TC	146	41	15	15	
		150	GC	191	41	20	20	
		150	NC・TC	196	41	15	15	
		200	GC・NC・TC	246	41	20	20	
SUS	1.2	50	GC・NC・TC	91	41	15	15	
		100	GC・NC・TC	146	41	15	15	
		150	GC・NC・TC	191	41	20	20	
		200	GC・NC・TC	246	41	20	20	

特殊端末カバー5

(GC・NC・TCに対応)




S4-25

材質	厚さ t(mm)	クリアランス		A (mm)	B (mm)	C (mm)	D (mm)	L (mm)
		(mm)	対応品番					
AL	1.5	50	GC・NC・TC	91	41	36.5	15	
		100	GC・NC・TC	146	41	36.5	15	
		150	GC	191	41	41.5	20	
		150	NC・TC	196	41	36.5	15	
		200	GC・NC・TC	246	41	41.5	20	
SUS	1.2	50	GC・NC・TC	91	41	36.2	15	
		100	GC・NC・TC	146	41	36.2	15	
		150	GC・NC・TC	191	41	41.2	20	
		200	GC・NC・TC	246	41	41.2	20	

特殊端末カバー6

(GC・NC・TCに対応)



S4-26

材質	厚さ t(mm)	クリアランス		A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)	G (mm)	L (mm)
		(mm)	対応品番								
AL	1.5	50	G・N・Tと GC・NC・TC	165	15	91	41	36.5	15	36.5	
		100	G・N・Tと GC・NC・TC	225	15	146	41	36.5	15	36.5	
		150	GとGC	275	20	191	41	41.5	20	41.5	
		150	N・TとNC・TC	275	15	196	41	36.5	15	36.5	
		200	G・N・Tと GC・NC・TC	335	20	246	41	41.5	20	41.5	
SUS	1.2	50	G・N・Tと GC・NC・TC	164.4	15	91	41	36.5	15	36.5	
		100	G・N・Tと GC・NC・TC	224.4	15	146	41	36.5	15	36.5	
		150	G・N・Tと GC・NC・TC	274.4	20	191	41	41.5	20	41.5	
		200	G・N・Tと GC・NC・TC	334.4	20	246	41	41.5	20	41.5	

逆勝手: S4-27